



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARK
Washington, D.C. 20231

APPLICATION NUMBER	FILING DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NO.
--------------------	-------------	-----------------------	---------------------

09/801,185

SALFELD

EXAMINER

D. SAUNDERS

ART UNIT	PAPER NUMBER
----------	--------------

1644

DATE MAILED:

INTERVIEW SUMMARY

All participants (applicant, applicant's representative, PTO personnel):

(1) E MANLEY (3)

(2) D. SAUNDERS (4)

Date of Interview 11/16/05

Type: ☐ Telephonic ☐ Televideo Conference ☒ Personal (copy is given to ☐ applicant ☐ applicant's representative).

Exhibit shown or demonstration conducted: ☐ Yes ☒ No If yes, brief description: _____

Agreement ☒ was reached. ☐ was not reached.

Claim(s) discussed: ALLOWABLE CLAIMS

Identification of prior art discussed: NONE

Description of the general nature of what was agreed to if an agreement was reached, or any other comments: _____

APPLICANT TO CONSIDER, CANCELLING
ALL NON-ALLOWED CLAIMS, APPLICANT
TO CONSIDER PURSUING NON-ALLOWED
SUBJECT MATTER IN CONTINUATION(S).

(A fuller description, if necessary, and a copy of the amendments, if available, which the examiner agreed would render the claims allowable must be attached. Also, where no copy of the amendments which would render the claims allowable is available, a summary thereof must be attached.)

☒ It is not necessary for applicant to provide a separate record of the substance of the interview.

Unless the paragraph above has been checked to indicate to the contrary. A FORMAL WRITTEN REPLY TO THE LAST OFFICE ACTION IS NOT WAIVED AND MUST INCLUDE THE SUBSTANCE OF THE INTERVIEW. (See MPEP Section 713.04). If a reply to the last Office action has been ready been filed, APPLICANT IS GIVEN ONE MONTH FROM THIS INTERVIEW DATE TO FILE A STATEMENT OF THE SUBSTANCE OF THE INTERVIEW.

Examiner Note: You must sign this form unless it is an attachment to another form.

David A. Saunders
DAVID SAUNDERS
PRIMARY EXAMINER
ART UNIT 182-1644